


THEMIS

FLOOD LIGHT SERIES

1136




1136F



Specification

| Product Code | 1136FE-9 | 1136FD-9 | 1136FF-9 | 1136FC-30 |
|---------------------|--|---------------|--------------------|---------------------|
| Led Brand | CREE XP-L | CREE XP-G3 | CREE RGBW 4 in1 | CREE XP-E2 |
| Led Quantity | 9pcs | 9pcs | 9pcs | 30pcs |
| Rared Power | 45W | 35W | 60W | 60W |
| Input Voltage | AC100-264V | AC100-264V | DC36V / AC100-305V | |
| Frequency Range | 50/60Hz | 50/60Hz | 50/60Hz | 50/60Hz |
| Color | Single | Single | RGBW | RGB |
| Beam Angle | 2.6° 3.5° 12° 20° 30° 60° 10X70° 5X20° | | 15° 20° 30° 15X60° | 5° 10° 12.5° 15X60° |
| Control Mode | CC/DALI/0-10V | CC/DALI/0-10V | DMX512/RDM | DMX512/RDM |
| Life | 50000H | 50000H | 50000H | 50000H |
| Protection Grade | IP66 | IP66 | IP66 | IP66 |
| Ambient Temperature | -25℃~50℃ | -25℃~50℃ | -25℃~50℃ | -25℃~50℃ |
| Ambient Humidity | 10%~90% | 10%~90% | 10%~90% | 10%~90% |







THEMIS FLOOD LIGHT SERIES 1136


Distribution Curve Flux (SBC Case)

.1136FE-9



SL1132 / SL1135 / SL1136 / SL1137 / SL1139

Control light accessories






THEMIS

FLOOD LIGHT SERIES

1132



1132F




Specification

| Product Code | 1132FE-25 | 1132FD-25 | 1132FF-24 | 1132FC-72 |
|---------------------|-----------------------|-----------------|--------------------|---------------------|
| Led Brand | CREE XP-L | CREE XP-G3 | CREE RGBW 4 in1 | CREE XP-E2 |
| Led Quantity | 25pcs | 25pcs | 24pcs | 72pcs |
| Rared Power | 120W | 85W | 150W/200W | 150W |
| Input Voltage | AC100-305V | AC100-305V | DC36V / AC100-305V | |
| Frequency Range | 50/60Hz | 50/60Hz | 50/60Hz | 50/60Hz |
| Color | Single | Single | RGBW | RGB |
| Beam Angle | 2.6° 3.5° 12° 20° 30° | 60° 10X70° 5X20 | 15° 20° 30° 15X60° | 5° 10° 12.5° 15X60° |
| Control Mode | CC/DALI/0-10V | CC/DALI/0-10V | DMX512/RDM | DMX512/RDM |
| Life | 50000H | 50000H | 50000H | 50000H |
| Protection Grade | IP66 | IP66 | IP66 | IP66 |
| Ambient Temperature | -25°C ~ 50°C | -25°C ~ 50°C | -25°C ~ 50°C | -25°C ~ 50°C |
| Ambient Humidity | 10% ~ 90% | 10% ~ 90% | 10% ~ 90% | 10% ~ 90% |



www.migdal-or.org



1132M